

Email tcmktg@sarex.com URLwww.sarex.com

PRODUCT LITERATURE

SARAPRINT-AC

Product Information

Saraprint-AC is a melamine formaldehyde based resin used for finishing of interlining fabrics to impart a durable stiff handle. It is particularly effective for prints taken on knitted, cellulosic fabrics, polyester/cotton, polyester/viscose and polyamides. Addition of Saraprint-AC to a pigment paste enhances its fastness properties especially scrub fastness and wet rubbing fastness.

It is also used for imparting stiff handle to polyester fabrics and its blends.

Key Features & Benefits

Key Features Benefits

rub fastness of pigment prints

Higher dosage gives

stiff finish.

Finishing of cotton inter-lining.

General Characteristics

Physical appearance: Colourless clear liquid

Ionic nature : Nonionic
pH of 1% solution : 7 +/- 1

Miscibility : Miscible with water

Compatibility : Compatible with anionic, cationic and nonionic products

Stability : Stable to dilute acids & dilute alkalies

Application

1. In pigment printing:

1-3% Saraprint-AC can be added in paste made from either kerosin emulsion or synthetic polymers.

2. Finishing of cotton, polyester, polyamide and their blends



501 Waterford, C Wing, C.D.Barfiwala Marg(Juhu Lane), Andheri(W), Mumbai 400 058. INDIA

Email tcmktg@sarex.com URLwww.sarex.com

PRODUCT LITERATURE

SARAPRINT-AC

10-30 g/l Saraprint-AC pH 5-6, pick up 60-70% by pad-dry-cure method.

Precautions

Storage : Store in cool, ventilated shed away from

heat and direct sunlight. Storage temperature should not exceed 35 deg C. Close lids firmly to avoid contact with air and moisture.

Shelf Life : 9 months from the date of manufacturing, if

stored under controlled conditions.

[The above information is given in good faith and is without warranty] [Prod.Code :L007149 | Last Upd. On : 05/02/2020] [MOLL]

This is a computer generated report. Hence not signed.