

Hohenstein Textile Testing Institute GmbH & Co. KG 74357 Bönnigheim Germany

Certificate OEKO-TEX® ECO PASSPORT

SAREX CHEMICALS (A DIV. OF SARAF CHEMICALS PVT. LTD.)

is granted the OEKO-TEX[®] ECO PASSPORT certification and the right to use the trademark.

TYPE ECO PASSPORT with On-Site Visit

PRODUCTS

See attached enclosure

PRODUCT CATEGORY

1.2 Agents for fabric production

OEKO TEX® ECO PASSPORT Hohenstein HTTI

This certificate 23.0.05497 is valid until 30.06.2025.

SUPPORTING DOCUMENTS

- Test Report Number: 23.0.05497
- Declaration of conformity in accordance with EN ISO 17050-1 as required by OEKO-TEX*
- RSL Screening Report
- Detailed information about the components and safety data sheets of the certified chemical products
- On-Site Visit Report

Dipl.-Ing.(64) Ivorme Schramm Head of Certification Body OEKO-TEX®

Boennigheim, 2024-06-06

The above captioned products can be used for the production of human-ecological optimized textiles & leathers.

The combined results of the reports mentioned above reveal that there is no harmful effect on the human and environmental health of the textiles & leathers treated/finished with the certified products.

ZDHC MRSL 3.1 Conformance Level 3 is achieved for certified products unless indicated otherwise.

Further compliance information (REACH, SVHC, POP etc.) can be found on oeko-tex.com/en/faq.

The certificate is based on the test methods and requirements of the OEKO-TEX* ECO PASSPORT that were in force at the time of evaluation.

The production site has met the criteria set by OEKO-TEX® for good product stewardship including occupational health & safety, environmental and quality management system through an On-Site Visit.



Hohenstein Textile Testing Institute GmbH & Co. KG 74357 Bönnigheim Germany

Enclosure

| ТҮРЕ | CI |
|---------------------------------|----|
| ECO PASSPORT with On-Site Visit | 23 |

CERTIFICATE NUMBER 23.0.05497

TEST REPORT NUMBER 23.0.05497

Certified Products

| No. 1 | Product Name ALKANOL-NP(MOD) | Trade Name | Restriction(s) ¹ none | ZDHC LEVEL Level 3 | Product Category 1.2 Agents for fabric production |
|-----------------|--|------------|--|------------------------------|--|
| 2 | BLEACH-811 | | none | Level 3 | 1.2 Agents for fabric production |
| 3 | SARALUBE-2975 | | none | Level 3 | 1.2 Agents for fabric production |
| 4 | SARALUBE-HP(N) | | none | Level 3 | 1.2 Agents for fabric production |
| 5 | TEARSTRENGTH-H | | none | Level 3 | 1.2 Agents for fabric production |
| 6 | TETRON | | none | Level 3 | 1.2 Agents for fabric production |
| 7 | UNIV-811 | | none | Level 3 | 1.2 Agents for fabric production |
| 8 | UNIV-AIO | | none | Level 3 | 1.2 Agents for fabric production |



Hohenstein Textile Testing Institute GmbH & Co. KG 74357 Bönnigheim Germany

Certificate OEKO-TEX® ECO PASSPORT

SAREX CHEMICALS (A DIV. OF SARAF CHEMICALS PVT. LTD.)

is granted the OEKO-TEX[®] ECO PASSPORT certification and the right to use the trademark.

TYPE ECO PASSPORT with On-Site Visit

PRODUCTS

See attached enclosure

PRODUCT CATEGORY

1.3 Textile auxiliaries for dyeing and printing

OEKO TEX® ECO PASSPORT ECO 23.0.05498 Hohenstein HTTI

This certificate 23.0.05498 is valid until 30.06.2025.

SUPPORTING DOCUMENTS

- Test Report Number: 23.0.05498
- Declaration of conformity in accordance with EN ISO 17050-1 as required by OEKO-TEX*
- RSL Screening Report
- Detailed information about the components and safety data sheets of the certified chemical products
- On-Site Visit Report

Dipl.-Ing.(64) Ivorme Schramm Head of Certification Body OEKO-TEX®

Boennigheim, 2024-06-21

The above captioned products can be used for the production of human-ecological optimized textiles & leathers. The combined results of the reports mentioned above reveal that

there is no harmful effect on the human and environmental health of the textiles & leathers treated/finished with the certified products.

ZDHC MRSL 3.1 Conformance Level 3 is achieved for certified products unless indicated otherwise.

Further compliance information (REACH, SVHC, POP etc.) can be found on oeko-tex.com/en/faq.

The certificate is based on the test methods and requirements of the OEKO-TEX $^{\circ}$ ECO PASSPORT that were in force at the time of evaluation.

The production site has met the criteria set by OEKO-TEX® for good product stewardship including occupational health & safety, environmental and quality management system through an On-Site Visit.



Hohenstein Textile Testing Institute GmbH & Co. KG 74357 Bönnigheim Germany

Enclosure

| ТҮРЕ | CERTIFICATE NUMBER | TEST REPORT NUMBER | |
|---------------------------------|---------------------------|---------------------------|--|
| ECO PASSPORT with On-Site Visit | 23.0.05498 | 23.0.05498 | |
| | | | |

Certified Products

| No. 1 | Product Name ACIDON-PA | Trade Name | Restriction(s) ¹ none | ZDHC LEVEL Level 3 | Product Category 1.3 Textile auxiliaries for dyeing and printing |
|-----------------|----------------------------------|------------|--|-----------------------|---|
| 2 | ANTICREASE (CONC) | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 3 | BIOFEEL-PST. | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 4 | BIOPOL-N | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 5 | BIOPOL-PLUS(CONC) | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 6 | CELLBIND-FF | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |



Hohenstein Textile Testing Institute GmbH & Co. KG 74357 Bönnigheim Germany

Enclosure

| TYPE | CERTIFICATE NUMBER | TEST REPORT NUMBER |
|---------------------------------|---------------------------|---------------------------|
| ECO PASSPORT with On-Site Visit | 23.0.05498 | 23.0.05498 |
| | | |

Certified Products

| No. 7 | Product Name CELLBIND-HD | Trade Name | Restriction(s) ¹ Formaldehyde | ZDHC LEVEL Level 3 | Product Category 1.3 Textile auxiliaries for dyeing and printing |
|-----------------|------------------------------------|------------|--|------------------------------|--|
| 8 | COMBIWASH-PC | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 9 | COMPATIBILISER-76 6 | | VOC | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 10 | DERMAPERM-HC | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 11 | DIGIPRINT-7146 | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 12 | DIGIPRINT-C | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |



Hohenstein Textile Testing Institute GmbH & Co. KG 74357 Bönnigheim Germany

Enclosure

| ТҮРЕ | CERTIFICATE NUMBER | TEST REPORT NUMBER |
|---------------------------------|--------------------|--------------------|
| ECO PASSPORT with On-Site Visit | 23.0.05498 | 23.0.05498 |
| | | |

Certified Products

| No. 13 | Product Name DIGIPRINT-S | Trade Name | Restriction(s) ¹ none | ZDHC LEVEL Level 3 | Product Category 1.3 Textile auxiliaries for dyeing and printing |
|------------------|------------------------------------|------------|--|------------------------------|---|
| 14 | DYEWELL-002 | | VOC | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 15 | ECOFIX(CONC) | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 16 | ELIMINATOR-GLO | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 17 | FABSTRIP-NS | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 18 | FEDA-SH (MOD) | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |



Hohenstein Textile Testing Institute GmbH & Co. KG 74357 Bönnigheim Germany

Enclosure

| ТҮРЕ | CERTIFICATE NUMBER | TEST REPORT NUMBER |
|---------------------------------|---------------------------|---------------------------|
| ECO PASSPORT with On-Site Visit | 23.0.05498 | 23.0.05498 |

Certified Products

| No. 19 | Product Name FIXANOL(CONC) | Trade Name | Restriction(s) ¹ none | ZDHC LEVEL Level 3 | Product Category 1.3 Textile auxiliaries for dyeing and printing |
|------------------|--------------------------------------|------------|--|------------------------------|---|
| 20 | GARFIX(CONC) | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 21 | GREENKOL-95 | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 22 | KATAFIX-BC | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 23 | KATAFIX-RD | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 24 | NYLOLEVEL-606 (ECO) | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |



Hohenstein Textile Testing Institute GmbH & Co. KG 74357 Bönnigheim Germany

Enclosure

| ТҮРЕ | CERTIFICATE NUMBER | TEST REPORT NUMBER |
|---------------------------------|--------------------|---------------------------|
| ECO PASSPORT with On-Site Visit | 23.0.05498 | 23.0.05498 |

Certified Products

| No. 25 | Product Name PARAKOL-LTW | Trade Name | Restriction(s) ¹ none | ZDHC LEVEL Level 3 | Product Category 1.3 Textile auxiliaries for dyeing and printing |
|------------------|------------------------------------|------------|--|------------------------------|---|
| 26 | PARAKOL-RDP | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 27 | PARAKOL-YS | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 28 | POLYSCOUR-7170 | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 29 | REATHICK-612 | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 30 | REATHICK-8181 | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |



Hohenstein Textile Testing Institute GmbH & Co. KG 74357 Bönnigheim Germany

Enclosure

| ТҮРЕ | CERTIFICATE NUMBER | TEST REPORT NUMBER |
|---------------------------------|---------------------------|---------------------------|
| ECO PASSPORT with On-Site Visit | 23.0.05498 | 23.0.05498 |

Certified Products

| No. 31 | Product Name REATHICK-919 | Trade Name | Restriction(s) ¹ none | ZDHC LEVEL Level 3 | Product Category 1.3 Textile auxiliaries for dyeing and printing |
|------------------|-------------------------------------|------------|--|-----------------------|---|
| 32 | REATHICK-CE | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 33 | REDUCON- ACD(CONC) | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 34 | SARACREASE (CONC) | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 35 | SARADYE-FN | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 36 | SARADYE-FNCE | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |



Hohenstein Textile Testing Institute GmbH & Co. KG 74357 Bönnigheim Germany

Enclosure

| ТҮРЕ | CERTIFICATE NUMBER | TEST REPORT NUMBER | |
|---------------------------------|---------------------------|---------------------------|--|
| ECO PASSPORT with On-Site Visit | 23.0.05498 | 23.0.05498 | |
| | | | |

Certified Products

| No. 37 | Product Name SARADYE-M | Trade Name | Restriction(s) ¹ Formaldehyde | ZDHC LEVEL Level 3 | Product Category 1.3 Textile auxiliaries for dyeing and printing |
|------------------|----------------------------------|------------|--|------------------------------|---|
| 38 | SARADYE-PLE | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 39 | SARAFIX (CONC) | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 40 | SARAFIX-ECO | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 41 | SARAGAL-AN | | Chlorinated Benzenes and Toluenes | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 42 | SARAGEN-DAM | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |



Hohenstein Textile Testing Institute GmbH & Co. KG 74357 Bönnigheim Germany

Enclosure

| TYPE | CERTIFICATE NUMBER | TEST REPORT NUMBER |
|---------------------------------|--------------------|---------------------------|
| ECO PASSPORT with On-Site Visit | 23.0.05498 | 23.0.05498 |
| | | |

Certified Products

| No. 43 | Product Name SARAGEN-SO | Trade Name | Restriction(s) ¹ Formaldehyde | ZDHC LEVEL Level 3 | Product Category 1.3 Textile auxiliaries for dyeing and printing |
|------------------|-----------------------------------|------------|--|------------------------------|---|
| 44 | SARAKOL-1583 | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 45 | SARAKOL-738 | | VOC | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 46 | SARAKOL-AD | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 47 | SARAKOL-BSI 353 | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 48 | SARAKOL-NF | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |



Hohenstein Textile Testing Institute GmbH & Co. KG 74357 Bönnigheim Germany

Enclosure

| ТҮРЕ | CERTIFICATE NUMBER | TEST REPORT NUMBER |
|---------------------------------|--------------------|---------------------------|
| ECO PASSPORT with On-Site Visit | 23.0.05498 | 23.0.05498 |

Certified Products

| No. 49 | Product Name SARAKOL-OBS | Trade Name | Restriction(s) ¹ none | ZDHC LEVEL Level 3 | Product Category 1.3 Textile auxiliaries for dyeing and printing |
|------------------|------------------------------------|------------|--|------------------------------|---|
| 50 | SARAKOL-PDR | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 51 | SARAKOL-RDL | | Formaldehyde | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 52 | SARASOL-1101 | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 53 | SARASOL-AMC | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 54 | SARASOL-GP | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |



Hohenstein Textile Testing Institute GmbH & Co. KG 74357 Bönnigheim Germany

Enclosure

| ТҮРЕ | CERTIFICATE NUMBER | TEST REPORT NUMBER |
|---------------------------------|--------------------|---------------------------|
| ECO PASSPORT with On-Site Visit | 23.0.05498 | 23.0.05498 |

Certified Products

| No. 55 | Product Name SARATREAT-774 | Trade Name | Restriction(s) ¹ none | ZDHC LEVEL Level 3 | Product Category 1.3 Textile auxiliaries for dyeing and printing |
|------------------|--------------------------------------|------------|--|-----------------------|---|
| 56 | SAROXY-K(MOD) | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 57 | SUPER R SALT | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 58 | TEXDET-HD | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 59 | TEXPRINT-FF | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 60 | WASHOFF-PC | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |



Hohenstein Textile Testing Institute GmbH & Co. KG 74357 Bönnigheim Germany

Enclosure

TYPE ECO PASSPORT with On-Site Visit CERTIFICATE NUMBER 23.0.05498 **TEST REPORT NUMBER** 23.0.05498

Certified Products

| No. 61 | Product Name WETOL-DT | Trade Name | Restriction(s) ¹ none | ZDHC LEVEL Level 3 | Product Category 1.3 Textile auxiliaries for dyeing and printing |
|------------------|---------------------------------|------------|-------------------------------------|------------------------------|---|
| | | | | | |



Hohenstein Textile Testing Institute GmbH & Co. KG 74357 Bönnigheim Germany

Certificate OEKO-TEX® ECO PASSPORT

SAREX CHEMICALS (A DIV. OF SARAF CHEMICALS PVT. LTD.)

is granted the OEKO-TEX° ECO PASSPORT certification and the right to use the trademark.

TYPE ECO PASSPORT with On-Site Visit

PRODUCTS See attached enclosure

PRODUCT CATEGORY

3.1 Finishing agents

The above captioned products can be used for the production of human–ecological optimized textiles & leathers.

The combined results of the reports mentioned above reveal that there is no harmful effect on the human and environmental health of the textiles & leathers treated/finished with the certified products.

ZDHC MRSL 3.1 Conformance Level 3 is achieved for certified products unless indicated otherwise.

. Further compliance information (REACH, SVHC, POP etc.) can be found on oeko-tex.com/en/faq.

The certificate is based on the test methods and requirements of the OEKO-TEX* ECO PASSPORT that were in force at the time of evaluation.

The production site has met the criteria set by OEKO-TEX $^{\odot}$ for good product stewardship including occupational health & safety, environmental and quality management system through an On-Site Visit.



This certificate 23.0.05499 is valid until 30.06.2025.

SUPPORTING DOCUMENTS

- Test Report Number: 23.0.05499
- Declaration of conformity in accordance with EN ISO 17050-1 as required by OEKO-TEX*
- RSL Screening Report
- Detailed information about the components and safety data sheets of the certified chemical products
- On-Site Visit Report

Dipl.-Ing (54) Ivor ne Schramm Head of Certification Body OEKO-TEX®

Boennigheim, 2024-06-11



Hohenstein Textile Testing Institute GmbH & Co. KG 74357 Bönnigheim Germany

Enclosure

TYPE ECO PASSPORT with On-Site Visit

CERTIFICATE NUMBER 23.0.05499

TEST REPORT NUMBER 23.0.05499

Certified Products

| No. | Product Name | Trade Name | Restriction(s) ¹ | ZDHC LEVEL | Product Category |
|-----|-------------------------|------------|-----------------------------|------------|----------------------|
| 1 | AQUAFINISH-MA | | none | Level 3 | 3.1 Finishing agents |
| 2 | CARESOFT (CONC) | | none | Level 3 | 3.1 Finishing agents |
| 3 | CARESOFT-197 | | none | Level 3 | 3.1 Finishing agents |
| 4 | CARESOFT-HF | | none | Level 3 | 3.1 Finishing agents |
| 5 | CARESOFT-XC | | none | Level 3 | 3.1 Finishing agents |
| 6 | CELLSOFT-NN(M) | | none | Level 3 | 3.1 Finishing agents |
| 7 | CROSSPRINT-CL (CONC) | | none | Level 3 | 3.1 Finishing agents |
| 8 | DELTASOFT-6805 | | none | Level 3 | 3.1 Finishing agents |
| 9 | ECOGUARD-6025 | | none | Level 3 | 3.1 Finishing agents |
| 10 | ECOGUARD-NEW | | VOC | Level 3 | 3.1 Finishing agents |
| 11 | ECOGUARD- | | none | Level 3 | 3.1 Finishing agents |
| | SYN(CONC) | | | | |
| 12 | ECOLINK-CONC | | none | Level 3 | 3.1 Finishing agents |
| 13 | ECOSOFT-W | | none | Level 3 | 3.1 Finishing agents |
| 14 | ELITESOFT-8534 | | none | Level 3 | 3.1 Finishing agents |
| 15 | ESTOFEEL | | none | Level 3 | 3.1 Finishing agents |
| 16 | FABFEEL-231 | | none | Level 3 | 3.1 Finishing agents |
| 17 | FABFINISH-CS | | none | Level 3 | 3.1 Finishing agents |
| 18 | FABGUARD-A | | VOC | Level 3 | 3.1 Finishing agents |
| 19 | FABSOFT-674 | | none | Level 3 | 3.1 Finishing agents |
| 20 | FINISHOL -ST | | none | Level 3 | 3.1 Finishing agents |
| 21 | HYDROCARE(CONC) | | none | Level 3 | 3.1 Finishing agents |
| | (N) | | | | |
| 22 | HYDROFEEL | | none | Level 3 | 3.1 Finishing agents |
| | | | | | |



Hohenstein Textile Testing Institute GmbH & Co. KG 74357 Bönnigheim Germany

Enclosure

TYPE ECO PASSPORT with On-Site Visit **CERTIFICATE NUMBER** 23.0.05499

TEST REPORT NUMBER 23.0.05499

Certified Products

| 23HYDROSOFT-654noneLevel 33.1 Finishing agents24HYDROSOFT-DRMnoneLevel 33.1 Finishing agents25MACROSOFT-CLCnoneLevel 33.1 Finishing agents26MODSURF-SSnoneLevel 33.1 Finishing agents27RUBFAST-467noneLevel 33.1 Finishing agents28RUBFAST-716noneLevel 33.1 Finishing agents29SARABLOOM-DSnoneLevel 33.1 Finishing agents30SARABLOOM-SLnoneLevel 33.1 Finishing agents31SARAPEACH-MRnoneLevel 33.1 Finishing agents32SARASOFT-485noneLevel 33.1 Finishing agents33SARASOFT-485noneLevel 33.1 Finishing agents34SARASOFT-EPnoneLevel 33.1 Finishing agents35SARASOFT-FEPnoneLevel 33.1 Finishing agents36SARASOFT-WLnoneLevel 33.1 Finishing agents37SARASOFT-WLnoneLevel 33.1 Finishing agents38SARASOFT-WLnoneLevel 33.1 Finishing agents39SARASTIFF-GKnoneLevel 33.1 Finishing agents40SARAWHITE-CRChlorinatedLevel 33.1 Finishing agents41SARAWHITE-CRChlorinatedLevel 33.1 Finishing agents42SUPERCONE-EQnoneLevel 33.1 Finishing agents43TEARSTRENGTH-Xnone <th>No.</th> <th>Product Name</th> <th>Trade Name</th> <th>Restriction(s)¹</th> <th>ZDHC LEVEL</th> <th>Product Category</th> | No. | Product Name | Trade Name | Restriction(s) ¹ | ZDHC LEVEL | Product Category |
|--|-----|------------------|------------|-----------------------------|------------|----------------------|
| 25MACROSOFT-CLCnoneLevel 33.1 Finishing agents26MODSURF-SSnoneLevel 33.1 Finishing agents27RUBFAST-467noneLevel 33.1 Finishing agents28RUBFAST-716noneLevel 33.1 Finishing agents29SARABLOOM-DSnoneLevel 33.1 Finishing agents30SARABLOOM-SLnoneLevel 33.1 Finishing agents31SARAPEACH-MRnoneLevel 33.1 Finishing agents32SARASOFT-1371noneLevel 33.1 Finishing agents33SARASOFT-485noneLevel 33.1 Finishing agents34SARASOFT-EPnoneLevel 33.1 Finishing agents35SARASOFT-ICONC)noneLevel 33.1 Finishing agents36SARASOFT-MRMnoneLevel 33.1 Finishing agents37SARASOFT-MRMnoneLevel 33.1 Finishing agents38SARASOFT-WLnoneLevel 33.1 Finishing agents38SARASOFT-WLnoneLevel 33.1 Finishing agents39SARASIFF-GKnoneLevel 33.1 Finishing agents40SARAWHITE(CONC)VOCLevel 33.1 Finishing agents41SARAWHITE-CRChlorinatedLevel 33.1 Finishing agents42SUPERCONE-EQnoneLevel 33.1 Finishing agents | 23 | HYDROSOFT-654 | | none | Level 3 | 3.1 Finishing agents |
| 26MODSURF-SSnoneLevel 33.1 Finishing agents27RUBFAST-467noneLevel 33.1 Finishing agents28RUBFAST-716noneLevel 33.1 Finishing agents29SARABLOOM-DSnoneLevel 33.1 Finishing agents30SARABLOOM-SLnoneLevel 33.1 Finishing agents31SARAPEACH-MRnoneLevel 33.1 Finishing agents32SARASOFT-1371noneLevel 33.1 Finishing agents33SARASOFT-485noneLevel 33.1 Finishing agents34SARASOFT-EPnoneLevel 33.1 Finishing agents35SARASOFT-I(CONC)noneLevel 33.1 Finishing agents36SARASOFT-MRMnoneLevel 33.1 Finishing agents37SARASOFT-WLnoneLevel 33.1 Finishing agents38SARASOFT-WLnoneLevel 33.1 Finishing agents38SARASOFT-WLnoneLevel 33.1 Finishing agents39SARASIFF-GKnoneLevel 33.1 Finishing agents40SARAWHITE(CONC)VOCLevel 33.1 Finishing agents41SARAWHITE-CRChlorinated Benzenes and ToluenesLevel 33.1 Finishing agents42SUPERCONE-EQnoneLevel 33.1 Finishing agents | 24 | HYDROSOFT-DRM | | none | Level 3 | 3.1 Finishing agents |
| 27RUBFAST-467noneLevel 33.1 Finishing agents28RUBFAST-716noneLevel 33.1 Finishing agents29SARABLOOM-DSnoneLevel 33.1 Finishing agents30SARABLOOM-SLnoneLevel 33.1 Finishing agents31SARAPEACH-MRnoneLevel 33.1 Finishing agents32SARASOFT-1371noneLevel 33.1 Finishing agents33SARASOFT-485noneLevel 33.1 Finishing agents34SARASOFT-485noneLevel 33.1 Finishing agents35SARASOFT-ICONC)noneLevel 33.1 Finishing agents36SARASOFT-I(CONC)noneLevel 33.1 Finishing agents37SARASOFT-WLnoneLevel 33.1 Finishing agents38SARASOFT-WLnoneLevel 33.1 Finishing agents39SARASTIFF-GKnoneLevel 33.1 Finishing agents40SARAWHITE(CONC)VOCLevel 33.1 Finishing agents41SARAWHITE-CRChlorinated Benzenes and ToluenesLevel 33.1 Finishing agents42SUPERCONE-EQnoneLevel 33.1 Finishing agents | 25 | MACROSOFT-CLC | | none | Level 3 | 3.1 Finishing agents |
| 28RUBFAST-716noneLevel 33.1 Finishing agents29SARABLOOM-DSnoneLevel 33.1 Finishing agents30SARABLOOM-SLnoneLevel 33.1 Finishing agents31SARAPEACH-MRnoneLevel 33.1 Finishing agents32SARASOFT-1371noneLevel 33.1 Finishing agents33SARASOFT-485noneLevel 33.1 Finishing agents34SARASOFT-485noneLevel 33.1 Finishing agents35SARASOFT-EPnoneLevel 33.1 Finishing agents36SARASOFT-I(CONC)noneLevel 33.1 Finishing agents36SARASOFT-MRMnoneLevel 33.1 Finishing agents37SARASOFT-WLnoneLevel 33.1 Finishing agents38SARASOFT-WLnoneLevel 33.1 Finishing agents39SARASTIFF-GKnoneLevel 33.1 Finishing agents40SARAWHITE(CONC)VOCLevel 33.1 Finishing agents41SARAWHITE-CRChlorinatedLevel 33.1 Finishing agents42SUPERCONE-EQnoneLevel 33.1 Finishing agents | 26 | MODSURF-SS | | none | Level 3 | 3.1 Finishing agents |
| 29SARABLOOM-DSnoneLevel 33.1 Finishing agents30SARABLOOM-SLnoneLevel 33.1 Finishing agents31SARAPEACH-MRnoneLevel 33.1 Finishing agents32SARASOFT-1371noneLevel 33.1 Finishing agents33SARASOFT-485noneLevel 33.1 Finishing agents34SARASOFT-FPnoneLevel 33.1 Finishing agents35SARASOFT-I(CONC)noneLevel 33.1 Finishing agents36SARASOFT-MRM (CONC)noneLevel 33.1 Finishing agents37SARASOFT-WLnoneLevel 33.1 Finishing agents38SARASOFT- WL(CONC)noneLevel 33.1 Finishing agents40SARAWHITE(CONC)VOCLevel 33.1 Finishing agents41SARAWHITE-CRChlorinated Benzenes and ToluenesLevel 33.1 Finishing agents42SUPERCONE-EQnoneLevel 33.1 Finishing agents | 27 | RUBFAST-467 | | none | Level 3 | 3.1 Finishing agents |
| 30SARABLOOM-SLnoneLevel 33.1 Finishing agents31SARAPEACH-MRnoneLevel 33.1 Finishing agents32SARASOFT-1371noneLevel 33.1 Finishing agents33SARASOFT-485noneLevel 33.1 Finishing agents34SARASOFT-EPnoneLevel 33.1 Finishing agents35SARASOFT-I(CONC)noneLevel 33.1 Finishing agents36SARASOFT-MRMnoneLevel 33.1 Finishing agents37SARASOFT-WLnoneLevel 33.1 Finishing agents38SARASOFT-noneLevel 33.1 Finishing agents39SARASTIFF-GKnoneLevel 33.1 Finishing agents40SARAWHITE(CONC)VOCLevel 33.1 Finishing agents41SARAWHITE-CRChlorinated Benzenes and ToluenesLevel 33.1 Finishing agents42SUPERCONE-EQnoneLevel 33.1 Finishing agents | 28 | RUBFAST-716 | | none | Level 3 | 3.1 Finishing agents |
| 31SARAPEACH-MRnoneLevel 33.1 Finishing agents32SARASOFT-1371noneLevel 33.1 Finishing agents33SARASOFT-485noneLevel 33.1 Finishing agents34SARASOFT-EPnoneLevel 33.1 Finishing agents35SARASOFT-I(CONC)noneLevel 33.1 Finishing agents36SARASOFT-MRMnoneLevel 33.1 Finishing agents37SARASOFT-WLnoneLevel 33.1 Finishing agents38SARASOFT-WLnoneLevel 33.1 Finishing agents39SARASTIFF-GKnoneLevel 33.1 Finishing agents40SARAWHITE(CONC)VOCLevel 33.1 Finishing agents41SARAWHITE-CRChlorinated Benzenes and ToluenesLevel 33.1 Finishing agents42SUPERCONE-EQnoneLevel 33.1 Finishing agents | 29 | SARABLOOM-DS | | none | Level 3 | 3.1 Finishing agents |
| 32SARASOFT-1371noneLevel 33.1 Finishing agents33SARASOFT-485noneLevel 33.1 Finishing agents34SARASOFT-EPnoneLevel 33.1 Finishing agents35SARASOFT-I(CONC)noneLevel 33.1 Finishing agents36SARASOFT-MRMnoneLevel 33.1 Finishing agents37SARASOFT-WLnoneLevel 33.1 Finishing agents38SARASOFT-WLnoneLevel 33.1 Finishing agents39SARASOFT-noneLevel 33.1 Finishing agents40SARAWHITE(CONC)VOCLevel 33.1 Finishing agents41SARAWHITE-CRChlorinated Benzenes and ToluenesLevel 33.1 Finishing agents42SUPERCONE-EQnoneLevel 33.1 Finishing agents | 30 | SARABLOOM-SL | | none | Level 3 | 3.1 Finishing agents |
| 33SARASOFT-485noneLevel 33.1 Finishing agents34SARASOFT-EPnoneLevel 33.1 Finishing agents35SARASOFT-I(CONC)noneLevel 33.1 Finishing agents36SARASOFT-MRMnoneLevel 33.1 Finishing agents37SARASOFT-WLnoneLevel 33.1 Finishing agents38SARASOFT-WLnoneLevel 33.1 Finishing agents39SARASOFT- WL(CONC)noneLevel 33.1 Finishing agents40SARAWHITE(CONC)VOCLevel 33.1 Finishing agents41SARAWHITE-CRChlorinated Benzenes and ToluenesLevel 33.1 Finishing agents42SUPERCONE-EQnoneLevel 33.1 Finishing agents | 31 | SARAPEACH-MR | | none | Level 3 | 3.1 Finishing agents |
| 34SARASOFT-EPnoneLevel 33.1 Finishing agents35SARASOFT-I(CONC)noneLevel 33.1 Finishing agents36SARASOFT-MRM (CONC)noneLevel 33.1 Finishing agents37SARASOFT-WLnoneLevel 33.1 Finishing agents38SARASOFT- WL(CONC)noneLevel 33.1 Finishing agents39SARASTIFF-GKnoneLevel 33.1 Finishing agents40SARAWHITE(CONC)VOCLevel 33.1 Finishing agents41SARAWHITE-CRChlorinated Benzenes and ToluenesLevel 33.1 Finishing agents42SUPERCONE-EQnoneLevel 33.1 Finishing agents | 32 | SARASOFT-1371 | | none | Level 3 | 3.1 Finishing agents |
| 35SARASOFT-I(CONC)noneLevel 33.1 Finishing agents36SARASOFT-MRM (CONC)noneLevel 33.1 Finishing agents37SARASOFT-WLnoneLevel 33.1 Finishing agents38SARASOFT- WL(CONC)noneLevel 33.1 Finishing agents39SARASTIFF-GKnoneLevel 33.1 Finishing agents40SARAWHITE(CONC)VOCLevel 33.1 Finishing agents41SARAWHITE-CRChlorinated Benzenes and ToluenesLevel 33.1 Finishing agents42SUPERCONE-EQnoneLevel 33.1 Finishing agents | 33 | SARASOFT-485 | | none | Level 3 | 3.1 Finishing agents |
| 36SARASOFT-MRM (CONC)noneLevel 33.1 Finishing agents37SARASOFT-WLnoneLevel 33.1 Finishing agents38SARASOFT- WL(CONC)noneLevel 33.1 Finishing agents39SARASTIFF-GKnoneLevel 33.1 Finishing agents40SARAWHITE(CONC)VOCLevel 33.1 Finishing agents41SARAWHITE-CRChlorinated Benzenes and ToluenesLevel 33.1 Finishing agents42SUPERCONE-EQnoneLevel 33.1 Finishing agents | 34 | SARASOFT-EP | | none | Level 3 | 3.1 Finishing agents |
| (CONC)37SARASOFT-WLnoneLevel 33.1 Finishing agents38SARASOFT- WL(CONC)noneLevel 33.1 Finishing agents39SARASTIFF-GKnoneLevel 33.1 Finishing agents40SARAWHITE(CONC)VOCLevel 33.1 Finishing agents41SARAWHITE-CRChlorinated Benzenes and ToluenesLevel 33.1 Finishing agents42SUPERCONE-EQnoneLevel 33.1 Finishing agents | 35 | SARASOFT-I(CONC) | | none | Level 3 | 3.1 Finishing agents |
| 37SARASOFT-WLnoneLevel 33.1 Finishing agents38SARASOFT- WL(CONC)noneLevel 33.1 Finishing agents39SARASTIFF-GKnoneLevel 33.1 Finishing agents40SARAWHITE(CONC)VOCLevel 33.1 Finishing agents41SARAWHITE-CRChlorinated Benzenes and ToluenesLevel 33.1 Finishing agents42SUPERCONE-EQnoneLevel 33.1 Finishing agents | 36 | SARASOFT-MRM | | none | Level 3 | 3.1 Finishing agents |
| 38SARASOFT- WL(CONC)noneLevel 33.1 Finishing agents39SARASTIFF-GKnoneLevel 33.1 Finishing agents40SARAWHITE(CONC)VOCLevel 33.1 Finishing agents41SARAWHITE-CRChlorinatedLevel 33.1 Finishing agents41SARAWHITE-CRChlorinatedLevel 33.1 Finishing agents42SUPERCONE-EQnoneLevel 33.1 Finishing agents | | (CONC) | | | | |
| WL(CONC) None Level 3 3.1 Finishing agents 39 SARASTIFF-GK none Level 3 3.1 Finishing agents 40 SARAWHITE(CONC) VOC Level 3 3.1 Finishing agents 41 SARAWHITE-CR Chlorinated Benzenes and Toluenes Level 3 3.1 Finishing agents 42 SUPERCONE-EQ none Level 3 3.1 Finishing agents | 37 | SARASOFT-WL | | none | Level 3 | 3.1 Finishing agents |
| 39SARASTIFF-GKnoneLevel 33.1 Finishing agents40SARAWHITE(CONC)VOCLevel 33.1 Finishing agents41SARAWHITE-CRChlorinatedLevel 33.1 Finishing agents41SARAWHITE-CRChlorinatedLevel 33.1 Finishing agents41SARAWHITE-CRChlorinatedLevel 33.1 Finishing agents42SUPERCONE-EQnoneLevel 33.1 Finishing agents | 38 | SARASOFT- | | none | Level 3 | 3.1 Finishing agents |
| 40 SARAWHITE(CONC) VOC Level 3 3.1 Finishing agents 41 SARAWHITE-CR Chlorinated Level 3 3.1 Finishing agents 8 Benzenes and Toluenes 70 42 SUPERCONE-EQ none Level 3 3.1 Finishing agents | | WL(CONC) | | | | |
| 41 SARAWHITE-CR Chlorinated Level 3 3.1 Finishing agents 41 SARAWHITE-CR Benzenes and Toluenes 3.1 Finishing agents 42 SUPERCONE-EQ none Level 3 3.1 Finishing agents | 39 | SARASTIFF-GK | | none | Level 3 | 3.1 Finishing agents |
| Benzenes and Toluenes 42 SUPERCONE-EQ none Level 3 3.1 Finishing agents | 40 | SARAWHITE(CONC) | | VOC | Level 3 | 3.1 Finishing agents |
| Toluenes 42 SUPERCONE-EQ none Level 3 3.1 Finishing agents | 41 | SARAWHITE-CR | | Chlorinated | Level 3 | 3.1 Finishing agents |
| 42 SUPERCONE-EQ none Level 3 3.1 Finishing agents | | | | Benzenes and | | |
| | | | | Toluenes | | |
| 43 TEARSTRENGTH-X none Level 3 3.1 Finishing agents | 42 | SUPERCONE-EQ | | none | Level 3 | 3.1 Finishing agents |
| | 43 | TEARSTRENGTH-X | | none | Level 3 | 3.1 Finishing agents |



Hohenstein Textile Testing Institute GmbH & Co. KG 74357 Bönnigheim Germany

Enclosure

TYPE ECO PASSPORT with On-Site Visit

CERTIFICATE NUMBER 23.0.05499

TEST REPORT NUMBER 23.0.05499

Certified Products

| No. 44 | Product Name TERRYSOFT-923 | Trade Name | Restriction(s) ¹ none | ZDHC LEVEL Level 3 | Product Category 3.1 Finishing agents |
|------------------|--------------------------------------|------------|--|-----------------------|---|
| 45 | TERRYSOFT-LW | | none | Level 3 | 3.1 Finishing agents |
| 46 | TERRYSOFT- | | none | Level 3 | 3.1 Finishing agents |
| | LW(CONC) | | | | |
| 47 | TEXSOFT-LC | | none | Level 3 | 3.1 Finishing agents |
| 48 | TEXSOFT-LD | | none | Level 3 | 3.1 Finishing agents |
| 49 | TEXSOFT-LD 819 | | none | Level 3 | 3.1 Finishing agents |
| 50 | TEXSOFT- | | none | Level 3 | 3.1 Finishing agents |
| | ULTRA(CONC) | | | | |
| 51 | ULTIMOSOFT- | | none | Level 3 | 3.1 Finishing agents |
| | Z(CONC) | | | | |
| 52 | WHITEX-2357 | | none | Level 3 | 3.1 Finishing agents |
| 53 | XTRASOFT-2751 | | none | Level 3 | 3.1 Finishing agents |
| 54 | XTRASOFT-832(CON | | none | Level 3 | 3.1 Finishing agents |
| | C) | | | | |
| 55 | ZOROFAST-FMD | | none | Level 3 | 3.1 Finishing agents |



Hohenstein Textile Testing Institute GmbH & Co. KG 74357 Bönnigheim Germany

Certificate OEKO-TEX® ECO PASSPORT

SAREX CHEMICALS (A DIV. OF SARAF CHEMICALS PVT. LTD.)

is granted the OEKO-TEX[®] ECO PASSPORT certification and the right to use the trademark.

TYPE ECO PASSPORT with On-Site Visit

PRODUCTS

See attached enclosure

products.

PRODUCT CATEGORY

3.5 Technical auxiliaries for multipurpose use

human-ecological optimized textiles & leathers.

products unless indicated otherwise.

OEKO TEX® ECO PASSPORT Bohenstein HTTI

This certificate 23.0.05496 is valid until 30.06.2025.

SUPPORTING DOCUMENTS

- Test Report Number: 23.0.05496
- Declaration of conformity in accordance with EN ISO 17050-1 as required by OEKO-TEX*
- RSL Screening Report
- Detailed information about the components and safety data sheets of the certified chemical products
- On-Site Visit Report

Dipl.-Ing (FA) Ivorne Schramm Head of Certification Body OEKO-TEX®

Boennigheim, 2024-06-07

. Further compliance information (REACH, SVHC, POP etc.) can be found on oeko-tex.com/en/faq. The certificate is based on the test methods and requirements of

The certificate is based on the test methods and requirements of the OEKO-TEX* ECO PASSPORT that were in force at the time of evaluation.

The above captioned products can be used for the production of

The combined results of the reports mentioned above reveal that

there is no harmful effect on the human and environmental health

of the textiles & leathers treated/finished with the certified

ZDHC MRSL 3.1 Conformance Level 3 is achieved for certified

The production site has met the criteria set by OEKO-TEX $^{\odot}$ for good product stewardship including occupational health & safety, environmental and quality management system through an On-Site Visit.



Hohenstein Textile Testing Institute GmbH & Co. KG 74357 Bönnigheim Germany

Enclosure

| ТҮРЕ | CERTIFICATE NUMBER | TEST REPORT NUMBER |
|---------------------------------|--------------------|---------------------------|
| ECO PASSPORT with On-Site Visit | 23.0.05496 | 23.0.05496 |

Certified Products

| No. 1 | Product Name CELLDET-962 | Trade Name | Restriction(s) ¹ none | ZDHC LEVEL Level 3 | Product Category 3.5 Technical auxiliaries for multipurpose use |
|-----------------|------------------------------------|------------|--|-----------------------|---|
| 2 | CELLDET-R | | none | Level 3 | 3.5 Technical auxiliaries for multipurpose use |
| 3 | CHELATIN-SA | | none | Level 3 | 3.5 Technical auxiliaries for multipurpose use |
| 4 | QUEST-HP | | none | Level 3 | 3.5 Technical auxiliaries for multipurpose use |
| 5 | SARADEFOAM | | none | Level 3 | 3.5 Technical auxiliaries for multipurpose use |
| 6 | SARAQUEST-W | | none | Level 3 | 3.5 Technical auxiliaries for multipurpose use |
| 7 | TEXDET-H | | none | Level 3 | 3.5 Technical auxiliaries for multipurpose use |