501 Waterford, C Wing, C.D.Barfiwala Marg(Juhu Lane), Andheri(W), Mumbai 400 058. INDIA

Email tcmktg@sarex.com URLwww.sarex.com

# PRODUCT LITERATURE

# NYLOFIX-9176

### Product Information

Nylofix-9176 is a phenol free dyefixing agent for polyamide and their blends dyed/printed with acid and metal complex dyestuffs. Polyamide fabric dyefixed with Nylofix-9176 shows improvement in wet fastness properties. Nylofix-9176 is stable under acidic condition and can be used for various application.

### Key Features & Benefits

Key Features Benefits

Fibre Affinity Strong dye fixing agent for acid and metal complex

dyes

Improves wet fastness

properties

Prevents cross-staining during washing

Has no effect on shade or light fastness of dyeings

Recipe adjustment not require

## General Characteristics

Physical appearance : Dark Creamish Powder

Ionic Nature : Anionic
pH of 1% solution : 3 +/- 1

Miscibility : Soluble in water

Compatibility : Compatible with anionic and nonionic products

Stability : Stable to dilute acids and unstable in dilute alkalies



501 Waterford, C Wing, C.D.Barfiwala Marg(Juhu Lane), Andheri(W), Mumbai 400 058. INDIA

Email tcmktg@sarex.com URLwww.sarex.com

# **PRODUCT LITERATURE**

# NYLOFIX-9176

### **Application**

I. Exhaust application to improve wet fastness of Polyamide

Nylofix-9176 : 1 - 2% (depending on depth of shade)

Bath pH : 4 -4.5
Bath Temp. : 70-80 deg. C
Time : 15-20 min.

#### Instruction for Dilution

Procedure to prepare 30% Nylofix-9176

- 1. Take 70 parts of DM water at room temperature or 60-80\*C
- 2. To this, gradually add 30 parts of Nylofix-9176 with constant stirring
- 3. Continue stirring for 30 min to obtain a homogenous product
- 4. Filter and use

#### Note:

- 1. Shake well and use.
- 2. It is advisable to use the diluted product immediately

#### Precautions

Storage : Store in cool, ventilated shed away from

heat and direct sunlight. Storage temperature should not exceed 35 deg C. lose lids firmly to avoid contact with air and moisture.

Shelf Life : 9 months from the date of manufacturing, if

stored under controlled conditions.

[The above information is given in good faith and is without warranty]

[ Prod.Code :L011473 | Last Upd. On : 02/09/2024 ] [PP]

